SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

ÚÜUÖWÔVÁROET ÒKÁKEI Î Î Í KKKKKÖÜGEÚÖÜKÓÜGEÓBGEÐÜŠOR ÒÁÚÒGEÁÖÓGEÚÍ Ï GKKKÁ

ŒÚÚŠÔŒZŒJÞÙKÁMÁÚÒŒŠŒÞV

₩₩₩Ô@en)a|^¦•*Á*α[¦å ∰Òæd^at@

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards Not classified.

Eye Irrit. 2 - H319; Skin Sens. 1 - H317 Human health

Environment Not classified.

Classification (1999/45/EEC) Xi;R36. R43.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains 2-HYDROXYPROPYL METHACRYLATE

P313

Label In Accordance With (EC) No. 1272/2008



Signal Word Warning

Hazard Statements

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary Statements

P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention.

P501 Dispose of contents/container to ...

Supplementary Precautionary Statements

P272 Contaminated work clothing should not be allowed out of the workplace.

P261 Avoid breathing vapour/spray.

DBAS572

P264 Wash contaminated skin thoroughly after handling.
P321 Specific treatment (see medical advice on this label).
P302+352 IF ON SKIN: Wash with plenty of soap and water.

P333+313 If skin irritation or rash occurs: Get medical advice/attention.

P337 If eye irritation persists:

P363 Wash contaminated clothing before reuse.

2.3. Other hazards

Acute Tox. 3 - H331

Skin Corr. 1B - H314

STOT SE 3 - H335 STOT RE 2 - H373 Aquatic Chronic 2 - H411

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

1-ACETYL-2-PHENYLHYDRAZINE			< 19
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Acute Tox. 4 - H302		Xn;R22.	
Skin Irrit. 2 - H315		Xi;R36/37/38.	
Eye Irrit. 2 - H319 Skin Sens. 1 - H317		R43.	
STOT SE 3 - H335			
2-HYDROXYPROPYL METHACRYL	_ATE		5-10°
CAS-No.: 27813-02-1	EC No.:		
0.			
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Eye Irrit. 2 - H319		Xi;R36.	
Skin Sens. 1 - H317		R43.	
CUMENE			< 1'
CAS-No.: 98-82-8	EC No.: 202-704-5		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Flam. Liq. 3 - H226		R10	
STOT SE 3 - H335		Xn;R65	
Asp. Tox. 1 - H304		Xi;R37	
Aquatic Chronic 2 - H411		N;R51/53	
CUMENE HYDROPEROXIDE			< 1
CAS-No.: 80-15-9	EC No.: 201-254-7		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Org. Perox. E - H242		O;R7	
Acute Tox. 4 - H302		T;R23	
Acute Tox. 4 - H312		C;R34	
A T 2 11224		VD04/00 D40/00/00	

Xn;R21/22,R48/20/22

N;R51/53

DBAS572

POLYETHYLENE GLYCOL 200 DIMETHACRYLATE 10-30%

CAS-No.: EC No.:

Classification (EC 1272/2008) Classification (67/548/EEC)

Skin Irrit. 2 - H315 Xi;R36/38.

Eye Irrit. 2 - H319

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move to fresh air. If symptoms persist, seek medical advice

Ingestion

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting Seek medical advice

Skin contact

Rinse with running water and soap Seek medical advice

Eye contact

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if neccessary

4.2. Most important symptoms and effects, both acute and delayed

Skin contact

Prolonged or repeated contact may cause skin irritation Prolonged or repeated contact may cause eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Carbon dioxide, foam, powder

Unsuitable extinguishing media

Not known

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released. Oxides of carbon, oxides of nitrogen, irritating organic vapors

5.3. Advice for firefighters

Special Fire Fighting Procedures

Water spray should be used to cool containers.

Protective equipment for fire-fighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

Prevent entry into drains.

6.3. Methods and material for containment and cleaning up

For small spills wipe up with a paper towel and place in container for disposal For large spills absorb onto inert absorbant material and place in sealed container for disposal. Dispose of contaminated material as waste according to section 13

6.4. Reference to other sections

See advice in section 8

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only in well ventilated areas Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation Do not eat, drink or smoke when using the product. Wash hands before work breaks and after finishing work. Good industrial hygiene practices should be observed

7.2. Conditions for safe storage, including any incompatibilities

Store in original comtainers at 8-21°C (46.4-69.8 °F) and do not return residual materials to containers as contamination may reduce shelf life of the bulk product

7.3. Specific end use(s)

Adhesive

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
CUMENE	WEL	25 ppm(Sk)	125 mg/m3(Sk)	50 ppm(Sk)	250 mg/m3(Sk)	

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Respiratory equipment

Use only in well ventilated areas

Hand protection

Use gloves approved to BS EN 364 Chemical Resistant Gloves. Suitable materials for short-term contact or splashes (recommended: at least protection index2, corresponding to >30 minutes permeation time as per EN 374): nitrile rubber (NBR;>=0.4mm thickness) Suitable materials for longer, direct contact (recommendation: protection index 6, corresponding to >480 minutes permeation time as per EN 374): nitrile rubber (NBR;>=0.4mm thickness) This information is based on literature references and on information provided by the glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chenical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection

Wear approved safety goggles.

Skin protection

Wear apron or protective clothing in case of splashes.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Paste

ColourWhite / off-white.OdourAlcohol-likeSolubilityNot miscible

Initial boiling point and boiling range

Not determined.

Melting point (°C)

Not available.

Vapour density (air=1) 1.25 g/cm3 Vapour pressure <0.5 mm Hg 20

Evaporation rateNot available.

pH-Value, Conc. Solution 3-6

Viscosity
Not available.

Decomposition temperature (°C)

Not available.

Odour Threshold, Lower

Not available.

Odour Threshold, Upper

Not available.

Flash point > 100

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not applicable.

Flammability Limit - Upper(%)

Not applicable.

Partition Coefficient

(N-Octanol/Water)

Not available.

Explosive properties

Not available.

Oxidising properties

Not available.

9.2. Other information

No data available / Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reacts with strong acids Reacts with strong oxidants

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

Not known.

10.5. Incompatible materials

Materials To Avoid

None if used properly

10.6. Hazardous decomposition products

Irritating organic vapours

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No information available.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

No Information avaliable

Acute Fish Toxicity

No furhter relevant information available

12.2. Persistence and degradability

No further relevant information available

12.3. Bioaccumulative potential

Partition coefficient

Not available.

12.4. Mobility in soil

Mobility:

No further relevant information available

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Dispose of in accordance with local and national regulations

13.1. Waste treatment methods

Dispose of in accordance with local and national regulations Contribution of this product to waste is very insignificant in comparision to article in which it is used After use, tubes, cartons and bottles containing residue product should be disposed of as chemically contaminated waste in a authorised legal land fill site or incinerated Disposal must be made according to official regulations

Waste Class

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

SECTION 14: TRANSPORT INFORMATION

GeneralNot regulated.Road Transport NotesNot ClassifiedRail Transport NotesNot classified.Sea Transport NotesNot classified.Air Transport NotesNot classified.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Health and Environmental Listings

VOC content <3% (1999/12/EC)

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

Risk Phrases In Full

R34 Causes burns. R10 Flammable.

R22 Harmful if swallowed.

R21/22 Harmful in contact with skin and if swallowed.

R48/20/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

R65 Harmful: may cause lung damage if swallowed.

R36/38 Irritating to eyes and skin.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36 Irritating to eyes.

R37 Irritating to respiratory system.

R7 May cause fire.

R43 May cause sensitisation by skin contact.

R23 Toxic by inhalation.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin. H242 Heating may cause a fire.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs << Organs>> through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.