



**Supplementary Precautionary Statements**

P272	Contaminated work clothing should not be allowed out of the workplace.
P261	Avoid breathing vapour/spray.
P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

**2.3. Other hazards**

Non corrosive to skin in accordance with the invitro test method, B40 skin corrosion - Human skin model assay, specified in Part B of Annex V to Directive 67/548/EEC

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

<b>1-ACETYL-2-PHENYLHYDRAZINE</b>	<b>&lt; 1%</b>																
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Classification (EC 1272/2008)</td> <td style="width: 50%;">Classification (67/548/EEC)</td> </tr> <tr> <td>Acute Tox. 4 - H302</td> <td>Xn;R22.</td> </tr> <tr> <td>Skin Irrit. 2 - H315</td> <td>Xi;R36/37/38.</td> </tr> <tr> <td>Eye Irrit. 2 - H319</td> <td>R43.</td> </tr> <tr> <td>Skin Sens. 1 - H317</td> <td></td> </tr> <tr> <td>STOT SE 3 - H335</td> <td></td> </tr> </table>	Classification (EC 1272/2008)	Classification (67/548/EEC)	Acute Tox. 4 - H302	Xn;R22.	Skin Irrit. 2 - H315	Xi;R36/37/38.	Eye Irrit. 2 - H319	R43.	Skin Sens. 1 - H317		STOT SE 3 - H335						
Classification (EC 1272/2008)	Classification (67/548/EEC)																
Acute Tox. 4 - H302	Xn;R22.																
Skin Irrit. 2 - H315	Xi;R36/37/38.																
Eye Irrit. 2 - H319	R43.																
Skin Sens. 1 - H317																	
STOT SE 3 - H335																	
<b>2-HYDROXYPROPYL METHACRYLATE</b>	<b>30-60%</b>																
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">CAS-No.: 27813-02-1</td> <td style="width: 40%;">EC No.:</td> </tr> </table>	CAS-No.: 27813-02-1	EC No.:															
CAS-No.: 27813-02-1	EC No.:																
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Classification (EC 1272/2008)</td> <td style="width: 50%;">Classification (67/548/EEC)</td> </tr> <tr> <td>Eye Irrit. 2 - H319</td> <td>Xi;R36.</td> </tr> <tr> <td>Skin Sens. 1 - H317</td> <td>R43.</td> </tr> </table>	Classification (EC 1272/2008)	Classification (67/548/EEC)	Eye Irrit. 2 - H319	Xi;R36.	Skin Sens. 1 - H317	R43.											
Classification (EC 1272/2008)	Classification (67/548/EEC)																
Eye Irrit. 2 - H319	Xi;R36.																
Skin Sens. 1 - H317	R43.																
<b>ACRYLIC ACID</b>	<b>1-5%</b>																
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">CAS-No.: 79-10-7</td> <td style="width: 40%;">EC No.: 201-177-9</td> </tr> </table>	CAS-No.: 79-10-7	EC No.: 201-177-9															
CAS-No.: 79-10-7	EC No.: 201-177-9																
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Classification (EC 1272/2008)</td> <td style="width: 50%;">Classification (67/548/EEC)</td> </tr> <tr> <td>Flam. Liq. 3 - H226</td> <td>R10</td> </tr> <tr> <td>Acute Tox. 4 - H302</td> <td>C;R35</td> </tr> <tr> <td>Acute Tox. 4 - H312</td> <td>Xn;R20/21/22</td> </tr> <tr> <td>Acute Tox. 4 - H332</td> <td>N;R50</td> </tr> <tr> <td>Skin Corr. 1A - H314</td> <td></td> </tr> <tr> <td>STOT SE 3 - H335</td> <td></td> </tr> <tr> <td>Aquatic Acute 1 - H400</td> <td></td> </tr> </table>	Classification (EC 1272/2008)	Classification (67/548/EEC)	Flam. Liq. 3 - H226	R10	Acute Tox. 4 - H302	C;R35	Acute Tox. 4 - H312	Xn;R20/21/22	Acute Tox. 4 - H332	N;R50	Skin Corr. 1A - H314		STOT SE 3 - H335		Aquatic Acute 1 - H400		
Classification (EC 1272/2008)	Classification (67/548/EEC)																
Flam. Liq. 3 - H226	R10																
Acute Tox. 4 - H302	C;R35																
Acute Tox. 4 - H312	Xn;R20/21/22																
Acute Tox. 4 - H332	N;R50																
Skin Corr. 1A - H314																	
STOT SE 3 - H335																	
Aquatic Acute 1 - H400																	

<b>CUMENE</b> < 1%	
<b>CAS-No.: 98-82-8</b>	<b>EC No.: 202-704-5</b>
Classification (EC 1272/2008) Flam. Liq. 3 - H226 STOT SE 3 - H335 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	Classification (67/548/EEC) R10 Xn;R65 Xi;R37 N;R51/53
<b>CUMENE HYDROPEROXIDE</b> 1-5%	
<b>CAS-No.: 80-15-9</b>	<b>EC No.: 201-254-7</b>
Classification (EC 1272/2008) Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Corr. 1B - H314 STOT SE 3 - H335 STOT RE 2 - H373 Aquatic Chronic 2 - H411	Classification (67/548/EEC) O;R7 T;R23 C;R34 Xn;R21/22,R48/20/22 N;R51/53
<b>MALEIC ACID</b> < 1%	
<b>CAS-No.: 110-16-7</b>	<b>EC No.: 203-742-5</b>
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335	Classification (67/548/EEC) Xn;R22 Xi;R36/37/38 R43

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### Inhalation

Move to fresh air. If symptoms persist, seek medical advice

#### Ingestion

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting Seek medical advice

#### Skin contact

Rinse with running water and soap Seek medical advice

#### Eye contact

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary

### 4.2. Most important symptoms and effects, both acute and delayed

#### Skin contact

Redness, inflammation Rash, Urticaria

#### Eye contact

Irritation, conjunctivitis

### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Extinguishing media**

Carbon dioxide, foam, powder

**Unsuitable extinguishing media**

Not known

**5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products**

Oxides of carbon, oxides of nitrogen, irritating organic vapors Oxides of: Sulphur.

**5.3. Advice for firefighters**

**Special Fire Fighting Procedures**

Water spray should be used to cool containers.

**Protective equipment for fire-fighters**

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

**6.2. Environmental precautions**

Prevent entry into drains.

**6.3. Methods and material for containment and cleaning up**

For small spills wipe up with a paper towel and place in container for disposal For large spills absorb onto inert absorbant material and place in sealed container for disposal .

**6.4. Reference to other sections**

See advice in section 8

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Use only in well ventilated areas Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation Good industrial hygiene practices should be observed Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in original containers at 8-21°C (46.4-69.8 °F) and do not return residual materials to containers as contamination may reduce shelf life of the bulk product

**7.3. Specific end use(s)**

Adhesive

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
CUMENE	WEL	25 ppm(Sk)	125 mg/m3(Sk)	50 ppm(Sk)	250 mg/m3(Sk)	

WEL = Workplace Exposure Limit.

**8.2. Exposure controls**

**Respiratory equipment**

Use only in well ventilated areas An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area Filter type: A

**Hand protection**

Chemical-resistant protective gloves (EN 374) Suitable materials for short-term contact or splashes (recommended: at least protection index2, corresponding to >30 minutes permeation time as per EN 374): nitrile rubber (NBR;>=0.4mm thickness) Suitable materials for longer, direct contact (recommendation: protection index 6, corresponding to >480 minutes permeation time as per EN 374): nitrile rubber (NBR;>=0.4mm thickness) This information is based on literature references and on information provided by the glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

**Eye protection**

Wear approved safety goggles.

**Skin protection**

Wear apron or protective clothing in case of splashes.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Liquid
<b>Colour</b>	Green.
<b>Odour</b>	Irritating.
<b>Solubility</b>	Miscible
<b>Initial boiling point and boiling range</b>	> 100, 0 C
<b>Melting point (°C)</b>	No information available.
<b>Vapour density (air=1)</b>	1, 0500 g/cm <sup>3</sup>
<b>Vapour pressure</b>	< 4, 0000000 mbar
<b>Evaporation rate</b>	No information available.
<b>pH-Value, Conc. Solution</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Decomposition temperature (°C)</b>	No information available.
<b>Odour Threshold, Lower</b>	No information available.
<b>Odour Threshold, Upper</b>	No information available.
<b>Flash point</b>	> 93, 3
<b>Flammability Limit - Lower(%)</b>	No information available.
<b>Flammability Limit - Upper(%)</b>	No information available.
<b>Partition Coefficient (N-Octanol/Water)</b>	Not known.
<b>Explosive properties</b>	No information available.
<b>Oxidising properties</b>	Not available.

**9.2. Other information**

No data available / Not applicable

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity**

Reacts with strong acids Reacts with strong oxidants

**10.2. Chemical stability**

Stable under recommended storage conditions

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

Stable

**10.5. Incompatible materials****Materials To Avoid**

None if used properly

**10.6. Hazardous decomposition products**

None if used for intended purpose In case of fire toxic gases can be released

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Toxicological information**

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following

**Inhalation**

Irritating to respiratory system.

**Ingestion**

This material is considered to have a low toxicity if swallowed May cause irritation to the digestive tract

**Skin contact**

Irritating to skin. May cause sensitisation by skin contact.

**Eye contact**

Risk of serious damage to eyes.

**SECTION 12: ECOLOGICAL INFORMATION****Ecotoxicity**

Do not empty into drains / surface water / ground water

**12.1. Toxicity**

No Information available

**12.2. Persistence and degradability**

No further relevant information available

**12.3. Bioaccumulative potential****Bioaccumulative potential**

No data available on bioaccumulation.

**Partition coefficient**

Not known.

**12.4. Mobility in soil****Mobility:**

Cured adhesives are immobile

**12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

**12.6. Other adverse effects**

Not available.

**SECTION 13: DISPOSAL CONSIDERATIONS****General information**

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

**13.1. Waste treatment methods**

Dispose of in accordance with local and national regulations Contribution of this product to waste is very insignificant in comparison to article in which it is used After use, tubes, cartons and bottles containing residue product should be disposed of as chemically contaminated waste in a authorised legal land fill site or incinerated Disposal must be made according to official regulations

**Waste Class**

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

**SECTION 14: TRANSPORT INFORMATION**

**14.1. UN number****14.2. UN proper shipping name****14.3. Transport hazard class(es)****14.4. Packing group****14.5. Environmental hazards****14.6. Special precautions for user****14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code****SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

**Health and Environmental Listings**

VOC content <5% (1999/13/EC)

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION****Risk Phrases In Full**

R34	Causes burns.
R35	Causes severe burns.
R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
R65	Harmful: may cause lung damage if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36	Irritating to eyes.
R37/38	Irritating to respiratory system and skin.
R37	Irritating to respiratory system.
R7	May cause fire.
R43	May cause sensitisation by skin contact.
R41	Risk of serious damage to eyes.
R23	Toxic by inhalation.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R50	Very toxic to aquatic organisms.

## DBSR638

### Hazard Statements In Full

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H242	Heating may cause a fire.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs <<Organs>> through prolonged or repeated exposure.
H335	May cause respiratory irritation.
H331	Toxic if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.